SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or HYDRAUL-EZ®

designation of the mixture

Registration number -

Synonyms None.

Issue date 28-November-2012

Version number 13

Revision date 27-June-2016 **Supersedes date** 06-January-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.

Uses advised against Workers (and your customers or users in the case of resale) should be informed of the potential

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name CETCO-Poland, CETCO sp zo.o.S.K.A, an MTI Company

Address Korpele 13A-Strefa

12-100 Szczytno

PL

Telephone General Information +48 0 89 624 7300

e-mail safetydata@mineralstech.com

Contact person EHS Department

1.4. Emergency telephone

number

0.

United Kingdom 44 8 08 189 0979 Access Code 333562, (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Services.)

Europe 1 760 476 3961 Access Code 333562, (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Services.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Material can be slippery when wet.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention

P102 Keep out of reach of children. P103 Read label before use.

Response

P101 If medical advice is needed, have product container or label at hand.

Storage Store away from incompatible materials.

Material name: HYDRAUL-EZ® SDS UK

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 Supplemental label

information

None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
SODIUM CARBOXYMETH CELLULOSE	YL 1 - 2.5	9004-32-4 -	-	-	
Classification:	Aquatic Chronic 3;H412				

Other components below reportable levels 90 - 100

Constituents

Chemical name	%	CAS-No. / EC No. REACH R	egistration No.	INDEX No.	Notes
Quartz		14808-60-7 238-878-4	-	-	

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments

Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for constituents are listed in

Section 8. The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. 4.2. Most important

symptoms and effects, both

acute and delayed

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment

Treat symptomatically.

needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or

Material name: HYDRAUL-EZ®

During fire, gases hazardous to health may be formed.

mixture

4537 Version #: 13 Revision date: 27-June-2016 Print date: 27-June-2016

5.3. Advice for firefighters

Special protective equipment for firefighters

Material can be slippery when wet.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Material can be slippery when wet. For personal protection, see

section 8.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental

precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

This product is miscible in water. Stop the flow of material, if this is without risk. Following product

recovery, flush area with water.

6.4. Reference to other

sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep out of the reach of children. Store away from

incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Constituents	Туре	Value	Form	
INERT OR NUISANCE DUSTS	TWA	4 mg/m3	Respirable dust.	
		10 mg/m3	Inhalable dust.	
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.	

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no-effect level

(DNEL)

Not available

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Material name: HYDRAUL-EZ® 4537 Version #: 13 Revision date: 27-June-2016 Print date: 27-June-2016 SDS UK

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Form Powder. or Granular.

Colour Various. Odour None.

Not available. **Odour threshold**

7 - 9 рH

Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point Non-flammable Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Non-explosive

Flammability limit -

upper (%)

Non-explosive

0.00004 hPa estimated Vapour pressure

Not available. Vapour density Not available. Relative density

Solubility(ies)

Solubility (water) Negligible Solubility (other) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available. **Explosive properties** Not explosive. Oxidizing properties Not oxidizing.

9.2. Other information

Density 2.53 g/cm3 estimated

Percent volatile 0 % estimated Specific gravity 2.53 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

Material name: HYDRAUL-EZ®

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

SDS UK

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contactNo adverse effects due to skin contact are expected. **Eye contact**Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Components	Species	Test results
SODIUM CARBOXYMETHYL	CELLULOSE (CAS 9004-32-4)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	2000.1 mg/kg
Inhalation		
LC50	Rat	5800.0001 mg/l/4h
Oral		
LD50	Rat	27000 mg/kg
Constituents	Species	Test results
Quartz (CAS 14808-60-7)		

<u>Acute</u>

Oral

LD50 Rat 500 mg/kg

Skin corrosion/irritation

Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Respiratory sensitisation

Skin sensitisation

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

CarcinogenicityIn June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis.

"There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in

persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Due to partial or complete lack of data the classification

is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

Reproductive toxicityDue to partial or complete lack of data the classification is not possible. **Specific target organ toxicity**Due to partial or complete lack of data the classification is not possible.

- single exposure

Specific target organ toxicity

Due to partial or complete lack of data the classification is not possible.

- repeated exposure

.

Due to partial of complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Material name: HYDRAUL-EZ® SDS UK

^{*} Estimates for product may be based on additional component data not shown.

Test results Components Species

SODIUM CARBOXYMETHYL CELLULOSE (CAS 9004-32-4)

Aquatic

EC50 46.04 - 165.37 mg/l, 48 hours Crustacea Water flea (Ceriodaphnia dubia) Fish LC50 Crucian carp (Carassius carassius) > 20000 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

No data available.

potential

Partition coefficient

Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available. 12.5. Results of PBT Not available.

and vPvB assessment

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

methods/information

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

TATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of Not available.

MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I, as amended

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Material name: HYDRAUL-EZ® SDS UK

^{*} Estimates for product may be based on additional component data not shown.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended

Not listed.

Directive 94/33/EC on the protection of young people at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available. References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under

H412 Harmful to aquatic life with long lasting effects.

Sections 2 to 15

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Training information Follow training instructions when handling this material.

Material name: HYDRAUL-EZ®

Issued by

EHS Department

MTI

35 Highland Avenue Bethlehem PA 18017 +1-212-878-1800

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. CETCO - Poland cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available